

HD26

Super-sized home entertainment

- Bright vivid colours 3,200 ANSI lumens
- Full HD 1080p image quality
- Dynamic black technology 25,000:1 contrast ratio
- Easy connectivity 2x HDMI and MHL support and built-in 10W speaker

















HD26

Super-sized home entertainment

Created for super-sized 1080p home entertainment, the bright HD26 is perfect for watching TV shows, sports and movies or playing action-packed games on a huge screen.

With a built-in speaker and two HDMI inputs the HD26 is easy to setup and use. Turn it into a smart projector by connecting your smartphone or tablet using MHL; now you can play games, stream videos and share photos on the big screen.

Full HD 1080p

1080p resolution gives you sharp and detailed images from HD content without downscaling or compression; perfect for watching Blu-ray movies, HD broadcasting and playing video games.



Full 3D

Optoma projectors can display true 3D content from almost any 3D source, including 3D Blu-ray players, 3D broadcasting and the latest generation games consoles. Support for 144Hz rapid refresh rate provides ultra-smooth flicker free images.



Gaming Mode

Gaming Mode optimises your projector for lightning response times, maximum contrast and vivid colours to capture every detail - leaving you time to focus on winning.



MHL Connectivity

Turn your projector into a smart display by connecting your smartphone or tablet with a single cable using MHL; now you can play games, stream videos and share photos on the big screen.



HDMI Link

HDMI link lets you to turn on and off two or more HDMI-CEC capable devices using a single remote control.



Dynamic Black

This feature gives more depth to your image by smoothly adjusting the lamp output, based on the brightness information of each frame; to create a stunning high contrast ratio. Bright scenes appear crisp and clear, while dark scenes remain detailed with deep blacks and exceptional light and shade detail.





2,000:1 25,000:1

24p

Most movies are shot at 24 frames per second (fps). To preserve the purity of the original image, Optoma projectors can accept high definition sources at 24 fps to display movies exactly as the director intended.

Amazing Colours

For vibrant, natural looking images, Optoma projectors incorporate BrilliantColor™ multi-colour processing technology.





Color Guarantee

Enjoy dazzling colours for years to come; guaranteed by Optoma for five years' consistent performance.





Integrated Speaker

Complete your home entertainment experience with the convenience of a powerful built-in speaker. Built-in speakers provide exceptional sound quality and are easy to set up without the need for costly external speakers.

Long Lamp Life

The expected lifetime of a typical Optoma projector lamp is an impressive 6500 hours; so if you watch a two hour movie every day, the lamp should last for almost 9 years.

HD26 Specification

Native Resolution 1080p 1920 x 1080 Brightness ¹ (Bright Mode) 3200 ANSI Lumens Contrast 25,000:1 Noise Level (Eco mode) 2668 Weight (Kg) 2.4 I/O Commetors 2 x HDMI (1.4 a 3D support) + MHL, Audio Out 3.5mm, 12V trigger, 3D-Sync, USB service Maximum Resolution 1080p. Computer Compatibility UXGA, SXGA, WXGA, HD, XQA, SVGA, VGA, Mac Video Compatibility 1080p, 1080, 720p, 576/ip, 480/p Displayable Colours 107.3 4 Million Projection Lore FEZ-52.67, Fe21, 9-24mm, 1.1 x Manual Zoom Throw Ratio 1.48 - 1.62:1 Projection Distance 1.5 - 10m Zoom Type 1.1 x Manual 4 Internal Scan Rate 1.5 - 10m Offset 116% 3.5% Horizontal Scan Rate 1.5 375-91.146 KHz Vertical Scan Rate 1.5 375-91.146 KHz Lamp Life Dynamic EcoRifight 6500/06000/5000 (frs) Keystone Correction 1.40* Vertical Dimensions (NY AV x H) (mm) 315 x 224 x 114 Power Cosumption 2.33 W Bright mode / 193W Eco mode (< 0.5W Standby)	Display Technology	DLP
Contrast 25,000:1 Noise Level (Econ mode) 28dB Weight (Kg) 2.45 1/C Connectors 2 x HDMI (1.4a 3D support) + MHL, Audio Out 3.5mm, 12V trigger, 3D-Sync, USB service Maximum Resolution 1080p Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080, 720p, 576tp, 480Vp Displayable Colcurs 1073 x Million Projection Lens F2.5-267 (F21.9-24mm, 1.1x Manual Zoom Throw Ratio 1.48 - 1.62:1 Projection Distance 1.5 - 10m 1.5 - 10m 2.5 - 10f - 767m (41.8" - 300") Diagonal 16:9 Projection Distance 1.5 - 10m 2.5 - 10		1080p 1920 x 1080
Contrast 25,000:1	Brightness ¹ (Bright Mode)	3200 ANSI Lumens
Weight (kg)		25.000:1
Weight (kg)	Noise Level (Eco mode)	26dB
I/O Connectors		2.45
Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080p, 120p, 576lip, 480lip Displayable Colours 1073.4 Million Projection Lens F.Z.S-2.6°F, 1=21.9-24mm, 1.1x Manual Zoom Throw Ratio 1.48 - 1.62-1 Projection Screen Size 1.06 - 7.67m (41.8° - 300°) Diagonal 16:9 Projection Islance 1.5 - 10m Zoom Type 1.1x Manual Aspect Ratio 16:9 Native, 16:10/4:3 Compatible Offset 116% 45% Horizontal Scan Rate 15.375-91.146 KHz Vertical Scan Rate 15.375-91.146 KHz Vertical Scan Rate 15.375-91.146 KHz Lamp Life ² Dynamic/Eco/Bright 6500/6000/5000 (hrs) Keystone Correction ±40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 10 - 220v Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby)		2 x HDMI (1.4a 3D support) + MHL, Audio Out 3.5mm, 12V trigger, 3D-Sync, USB service
Video Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p Displayable Colours 1073.4 Million Projection Lens F72.5~2.67; Fe21.9~24mm, 1.1x Manual Zoom Throw Ratio 1.48 - 1.62:1 Projection Screen Size 1.06 - 7.67m (41.8° - 300°) Diagonal 16:9 Projection Distance 1.5 - 10m Zoom Type 1.1x Manual Aspect Ratio 16:9 Native, 16:10l4:3 Compatible Offset 116% ±5% Horizontal Scan Rate 15.375-91.46 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D) Lamp Type 190W Lamp Life² Dynamic/Eco/Bright 6500/6000/5000 (hrs) Keystone Correction 4.40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby)	Maximum Resolution	1080p
Displayable Colours Projection Lens F72.5-2.67; 1=21.9-24mm, 1.1x Manual Zoom Throw Ratio 14.8 - 1.62:1 Projection Screen Size 1.06 - 7.67m (41.8" - 300") Diagonal 16:9 Projection Distance 1.5 - 10m Zoom Type 1.1x Manual Aspect Ratio 16:9 Native, 16:10/4:3 Compatible Offset 116% 45% Horizontal Scan Rate 116% 575-91.146 KHz Vertical Scan Rate 24 - 851×2 (120Hz for 3D) Lamp Type 190W Lamp Life² Dynamic/Eco/Bright 6500x6000/5000 (hrs) Keystone Correction 14 60' Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 2200 Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Delayses, sireless, ceiling mount RoHS Opinal Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Opinal Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Opinal Accessories Norless Supplyent Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1 4a specification. 3D Compatibility Side-by-Side-1086050 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Vertical Cardinal Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Victinamese, Farsi, Romanian, Indonesian	Computer Compatibility	UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac
FrigeCion Lens Fi2.5-2.67; Fe21.9-24mm, 1.1x Manual Zoom Throw Ratio 1.48 - 1.62:1 Projection Screen Size 1.06 - 7.67m (41.8" - 300") Diagonal 16:9 Projection Distance 1.5 - 10m Zoom Type 1.1x Manual Aspect Ratio 16:9 Native, 16:10/4:3 Compatible Offset 116% ±5% Horizontal Scan Rate 15.375-91.146 KHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Lamp Type 1990 Lamp Life² Dynamic/Eco/Bright 6500/6000/5000 (hrs) Keystone Correction ± 40" Vertical Dimensions (W X D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 220v Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories AC power cord, remote control, 2x	Video Compatibility	1080p, 1080i, 720p, 576i/p, 480i/p
Throw Ratio 1.48 - 1.62:1 Projection Screen Size 1.06 - 7.67m (41.8" - 300") Diagonal 16:9 Projection Distance 1.5 - 10m Zoom Type 1.1x Manual Aspect Ratio 11.9 Native, 16:10/43 Compatible Offset 116% ±5% Horizontal Scan Rate 15.375-91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D) Lamp Type 190W Lamp Life ² Dynamic/Eco/Bright 6500/6000/5000 (hrs) Keystone Correction ± 40" Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 220v Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby)	Displayable Colours	1073.4 Million
Projection Screen Size 1.06 - 7.67m (41.8" - 300") Diagonal 16:9 Projection Distance 1.5 - 10m Zoom Type 1.1x Manual Aspect Ratio 16:9 Native, 16:10/4:3 Compatible Offset 116% ±5% Horizontal Scan Rate 15.375 - 91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D) Lamp Type 190W Lamp Life² Dynamic/Eco/Bright 6500/6000/5000 (hrs) Keystone Correction ± 40" Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 2200 Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions Uniformity 80% Security Security Max. Humidity 85%, Max. Attitude 3000m Uniformity 80% Security Security Accessories Ac power confusion (2x Ab Datteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceilling mount ROHS 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoff® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080j624, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 71 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified, Chinrese, Traditional Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Projection Lens	F/2.5~2.67; f=21.9~24mm, 1.1x Manual Zoom
Projection Distance 1.1s - 10m Zoom Type 1.1x Manual Aspect Ratio 016:9 Native, 16:10/4:3 Compatible Offset 116% ±5% Horizontal Scan Rate 115:375-91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D) Lamp Type 190W Lamp Life² Dynamic/Eco/Bright Reystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Power Consumption 0perating Conditions 5° C - 40° C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Security Security Mireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount RoHS 3D Compatibility Side-by-Side:1080150 / 60, 720p50 / 60 Prame-pack: 1080p24, 720p50 / 60 Speaker (Watts) 10 Scent Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified, Chinese, Traditional Chinese, Krean, Arabic, Japanese, Thal, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonessian	Throw Ratio	1.48 - 1.62:1
Projection Distance 1.1s - 10m Zoom Type 1.1x Manual Aspect Ratio 016:9 Native, 16:10/4:3 Compatible Offset 116% ±5% Horizontal Scan Rate 115:375-91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D) Lamp Type 190W Lamp Life² Dynamic/Eco/Bright Reystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Power Consumption 0perating Conditions 5° C - 40° C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Security Security Mireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount RoHS 3D Compatibility Side-by-Side:1080150 / 60, 720p50 / 60 Prame-pack: 1080p24, 720p50 / 60 Speaker (Watts) 10 Scent Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified, Chinese, Traditional Chinese, Krean, Arabic, Japanese, Thal, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonessian	Projection Screen Size	1.06 - 7.67m (41.8" - 300") Diagonal 16:9
Aspect Ratio Offset 116% ±5% Horizontal Scan Rate 15.375–91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D) Lamp Type 190W Lamp Life² Dynamic/Eco/Bright Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 220v Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP⊕ Link™ 3D glasses, wireless, ceilling mount RoHS 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080/50 / 60, 720,50 / 60 Frame-pack: 1080/24, 720,50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonessian		
Offset 116% ±5% Horizontal Scan Rate 15.375–91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D) Lamp Type 190W Lamp Life² Dynamic/Eco/Bright 6500/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 220v Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Security Har, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount RoHS 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blur-ay 3D™ and 3D games from the Sony® PS3 or Microsoftos Nox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080150 / 60, 720p50 / 60 Frame-pack: 1080024, 720p50 / 60 Speaker (Watts) 10 Orscreen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Fars, Romanian, Indonesian.	Zoom Type	1.1x Manual
Horizontal Scan Rate 15.375-91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D) Lamp Type 190W Lamp Life² Dynamic/Eco/Bright 6500/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 220v Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080150 / 60, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Aspect Ratio	16:9 Native, 16:10/4:3 Compatible
Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D) Lamp Type 190W Lamp Life² Dynamic/Eco/Bright 6500/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 220v Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby)		
Lamp Type 190W Lamp Life² Dynamic/Eco/Bright 6500/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 220v Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security 8 Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, bl.P® Link™ 3D glasses, wireless, ceiling mount RoHS Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Horizontal Scan Rate	15.375~91.146 KHz
Lamp Life² Dynamic/Eco/Bright 6500/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 220v Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Sec	Vertical Scan Rate	24 ~ 85Hz (120Hz for 3D)
Keystone Correction ±40° Vertical Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 220v Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount RoHS 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Speaker (Watts) 10 Warranty On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Fraditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Lamp Type	190W
Dimensions (W x D x H) (mm) 315 x 224 x 114 Power Supply Input: 110 - 220V Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Mireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Lamp Life ² Dynamic/Eco/Bright	6500/6000/5000 (hrs)
Power Supply Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount Compliant SD Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080/5D / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Keystone Correction	± 40° Vertical
Power Consumption 233W Bright mode / 193W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080150 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Dimensions (W x D x H) (mm)	315 x 224 x 114
Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 80% Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Power Supply	Input: 110 - 220v
Uniformity Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Power Consumption	233W Bright mode / 193W Eco mode (< 0.5W Standby)
Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Operating Conditions	5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m
Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Uniformity	80%
Optional Accessories Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Security	Security bar, Kensington lock, password protection
RoHS Compliant SD Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Standard Accessories	
Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Optional Accessories	Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount
with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Speaker (Watts) 10 Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	RoHS	Compliant
Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Speaker (Watts) Marranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	3D Support	with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D
Warranty 2 Years On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	3D Compatibility	Frame-pack: 1080p24, 720p50 / 60
On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Speaker (Watts)	10
Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian	Warranty	
Optional Wireless Yes	On Screen Display	Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish,
	Optional Wireless	Yes



Optoma Europe Ltd.

42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ www.optoma.co.uk

¹Lamp based projectors brightness and lifetime will vary depending on selected projector mode, environmental conditions and usage. As is common with all lamp based projectors, brightness will decrease over the lamp lifetime. LED projectors do not have a replaceable lamp and the brightness does not decay significantly over the product lifetime. ²Typical lamp life achieved through testing. Will vary according to operational use and environmental conditions. DLP®, and the DLP logo are registered trademarks of Texas Instruments. All other product names and company names used herein are for identifications purposes only and may be trademarks or registered trademarks of their respective owners. All images of products are for representation purposes only. Whilst every care is taken to provide accurate images of our products, actual products may differ slightly. Some product images may have been digitally altered by us to add an Optoma logo to the front panel. Optoma reserves the right to amend or alter actual product or product images without notice. Some images may have been simulated. Errors and omissions excepted, all specifications are subject to change without notice. Copyright © 2014, Optoma Europe Ltd.

13/03/2016 22:41